

**Notice of Allowability**

Application No.

10/572,569

Examiner

Amy He

Applicant(s)

IDE, TORU

Art Unit

2858

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment dated 02 January 2008.
2. ☒ The allowed claim(s) is/are 1 and 3-20.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some\* c) ☐ None of the:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |  |  |
|--|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)   | 5. <input type="checkbox"/> Notice of Informal Patent Application                      |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),<br>Paper No./Mail Date _____    | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                    |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|  | 9. <input type="checkbox"/> Other _____.   |

## DETAILED ACTION

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Crystal Wilson on February 20, 2008.

The application has been amended as follows:

#### **In the Specification:**

1) In the brief description of drawings in the specification (on page 10), replaced the paragraph describing Figure 10 with the following:

Fig. 10 (a) shows a horizontal formation method.

Fig. 10 (b) shows a horizontal formation method using hydraulic pressure.

2) In the brief description of drawings in the specification (on page 11), replaced the paragraph describing Figure 14 with the following:

Fig. 14 (a) illustrates a trace of the current in case where the aqueous solution includes 100 mM KCl and  $10^{-9}$  M  $\text{CaCl}_2$ .

Fig. 14 (b) illustrates a trace of the current in case where the aqueous solution includes 100 mM KCl and 1 mM  $\text{CaCl}_2$ .

### REASONS FOR ALLOWANCE

2. Claims 1 and 3-20 are allowed.

3. The following is an examiner's statement of reasons for allowance:

Claims 1, 3, 13 and 15-18 are allowable because the inclusion of "a negative pressure generation means for dropping an internal pressure of the lower solution chamber" so as to cause the artificial lipid bilayer membrane formed on the membrane formation opening of the upper solution chamber to swell to a side of the lower solution chamber so as to cause the membrane to be thinner and come into contact with the support layer, and in the combination as claimed.

Claims 4-12, 14 and 19-20 are allowable because none of the prior art discloses a current measuring device, which is capable of measuring a current flowing via an artificial lipid bilayer membrane, comprising an interval keeping member capable of changing an interval between the upper solution chamber and the bottom plate, and the change of the interval causes the artificial lipid bilayer membrane formed on the membrane formation opening of the upper solution chamber to swell to the side of the lower solution chamber so as to make the artificial lipid bilayer to be thinner and to come into contact with the support layer, and in the combination as claimed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amy He whose telephone number is (571) 272-2230. The examiner can normally be reached on 8:30am-5pm.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Andrew Hirshfeld can be reached on 571-272-2168. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number:  
10/572,569  
Art Unit: 2858

Page 5

Examiner: Amy He  
(571) 272-2230



Andrew Hirshfeld  
SPE, AU 2858